

Contents

1	Introduction	1
1.1	Numerical simulation and approximation methods	1
1.2	Goal and outline	3
2	Soft Particle Code (SPARC)	5
2.1	Introduction	5
2.2	Discretization of continuum	8
2.3	Neighbor search	9
2.4	Spatial derivatives	10
2.4.1	Polynomial interpolation/approximation	10
2.4.2	Evaluation of velocity gradient $\mathbf{L} = \nabla \mathbf{v}$ at one particle . . .	12
2.4.3	Evaluation of $\nabla \cdot \mathbf{T}$ at one particle	13
2.5	Constitutive model	13
2.6	System of equations	15
2.6.1	Evaluation of $\mathbf{T}^{t+\Delta t}$ at all particles	15
2.6.2	Evaluation of $\nabla^{t+\Delta t} \cdot \mathbf{T}^{t+\Delta t}$ at all particles	16
2.6.3	Obtaining the system of equations	17
2.7	Numerical Solver	19
2.7.1	The Newton's method	20
2.7.2	Reduced stiffness matrix	22
2.7.3	Marquardt's Algorithm	23
2.7.4	Arc-length method	27
2.7.5	Time integration scheme of stress	33
2.8	Pressure boundary condition	39
2.9	Parallelization	39

3	Parameter Study	41
3.1	Benchmark	41
3.1.1	Particle configuration and boundary conditions	41
3.1.2	Neighbor search and support size	42
3.1.3	Polynomial order	43
3.2	Numerical solvers	43
3.2.1	Results from the benchmark	43
3.2.2	Role of a weak zone	48
3.2.3	Brief summary	51
3.3	Support size	52
3.3.1	First-order polynomials with fixed-radius search method	53
3.3.2	Second-order polynomials with fixed-radius search method	53
3.3.3	Second-order polynomials with k -nn search	54
3.3.4	Brief summary	57
3.4	Irregular array of particles	57
3.4.1	First-order polynomials with fixed-radius search method	57
3.4.2	Second order polynomials with fixed-radius search method	59
3.4.3	First order polynomials with k -nn search	60
3.4.4	Second order polynomials with k -nn search	61
3.4.5	Brief summary	62
4	Simulation of Conventional Laboratory Tests	63
4.1	Oedometer test	63
4.1.1	Discretization of the specimen	64
4.1.2	Initial values	64
4.1.3	Numerical solver	66
4.1.4	Time integration	67
4.1.5	Simulation results	67
4.2	Triaxial test	67

<i>Contents</i>	xv
4.2.1 Discretization of the specimen	68
4.2.2 Boundary conditions and degrees of freedom	68
4.2.3 Governing equations	70
4.2.4 Initial conditions	70
4.2.5 Simulation results	71
5 Validation	79
5.1 Oedometer test	79
5.2 Triaxial test	80
5.2.1 Homogeneous deformation	80
5.2.2 Inhomogeneous deformation	81
5.3 Simulation with FE method	81
6 Simulation of the ‘Zig-Zag’-Tests	85
6.1 Boundary conditions	85
6.2 Simulation set-ups	88
6.3 Results	92
6.3.1 Larger number of neighbors	97
6.3.2 Second order polynomials	101
6.3.3 More rigorous stop criterion	104
6.4 Summary	104
7 Summary, Limitations and Outlook	107
7.1 Summary	107
7.2 Limitations	108
7.3 Outlook	109
A Generation of a Point Cloud	115

B Sub-Domain k-Nearest Neighbor Search	117
B.1 Sub-domain k -nn search	118
B.1.1 Domain partitioning by sorting coordinates of points	118
B.1.2 Indexing sub-domains	119
B.1.3 Neighbor search of sub-domains	119
B.1.4 k -nn search	119
B.2 Efficiency of the sub-domain k -nn search method	120
C Mapping Vector m	125
D Determination of Normal Vectors on a Surface	129
E Sparse Matrix	133
F Evolution of Shear Bands	135
G An Example of Scaling a Matrix	137
H An example for the explanation of arc-length parameterization	139
I Derivation of the Equation of a Plane	141
J Sand Eddies Induced by Cyclic Tilt of a Retaining Wall	143
J.1 Introduction	143
J.2 Experimental setup	145
J.2.1 Apparatus	145
J.2.2 Test series	145
J.2.3 Preparation of the backfill	145
J.2.4 Particle image velocimetry	146
J.3 Results	147
J.3.1 Evolution of free surface	147
J.3.2 Trajectories and eddies	151
J.3.3 Evolution of passive slip surfaces	158

<i>Contents</i>	xvii
J.3.4 Evolution of void ratio	159
J.4 Conclusions	166
K One-dimensional Example	167
K.1 Solution to the example using SPARC	167
K.2 Arc-length method	174
K.2.1 Solution using arc-length method: Calculation	175
K.3 Pseudo-arc-length method	177
K.3.1 Solution using the pseudo-arc-length method	178
L Velocity of a Point on a Tilting Wall	181
M List of Symbols	183