

Contents

Vorwort des Herausgebers	i
Zusammenfassung	iii
Author's preface	vi
1 Introduction	1
2 Gasoline direct injection engines	5
2.1 History	5
2.2 Principle	6
2.2.1 Operation strategies	6
2.2.2 Components of the fuel supply system	9
2.3 Mixture formation mechanisms	10
2.3.1 Jet break-up and droplet formation	10
2.3.2 Droplet size and droplet lifetime	12
2.4 Potential of high-pressure injection	13
2.4.1 Influence of the injection pressure on the fuel droplet size	13
2.4.2 Increase of the engine efficiency	13
2.4.3 Effect of high injection pressure on pollutant emissions	14
2.4.4 Issues related to high injection pressure	14
3 Liquid pumps	17
3.1 Pump designs	17
3.2 Reciprocating displacement pumps	19
3.2.1 Kinematics	19
3.2.2 Piston pump process	21
3.2.3 Power and efficiency	22
3.2.4 Multi piston pumps and pressure impulses	25
3.3 Specific requirements for gasoline high-pressure fuel pumps	27
4 Tribology	31
4.1 Definition and challenges	31
4.2 Tribotechnical system	31
4.2.1 Engineering surfaces	32
4.2.2 Contact process	34
4.2.3 Kinematics	35

4.3	Friction	36
4.3.1	Friction mechanism	37
4.3.2	Friction measurands	38
4.4	Wear	38
4.5	Lubrication	41
5	Advanced ceramics	45
5.1	Basics	45
5.1.1	Definition and general properties	45
5.1.2	Types of advanced ceramics and their application	46
5.1.3	Manufacturing process	47
5.1.4	Specific mechanical properties of ceramics	47
5.1.5	Design of ceramic components	49
6	Investigations	51
6.1	Investigated high-pressure fuel pumps	51
6.1.1	Single-piston prototype pump	51
6.1.2	3-piston prototype pump	54
6.1.3	Commercially available high-pressure pumps	57
6.2	Material tested in the sliding systems	58
6.2.1	Ceramic materials	58
6.2.2	Material combinations	61
6.2.3	Material properties	62
6.2.4	Surface finish	63
6.3	Fuels	64
6.4	Test bench	65
6.5	Test procedure	66
6.5.1	Single-piston prototype pump	66
6.5.2	3-piston prototype pump	67
6.5.3	Commercially available pumps	68
7	Results	69
7.1	Performance of the reciprocating sliding systems in the single-piston prototype pump	69
7.1.1	Comparison of the theoretical and measured parameters	69
7.1.2	Friction in the investigated sliding systems	73
7.1.3	Surface analysis	82
7.2	Application in a 3-piston pump	85
7.2.1	Comparison of theoretical and measured parameters	85
7.2.2	Mechanical efficiency with various material pairs in the cam/pusher system	86
7.2.3	Cyclic variations and noise emission	91
7.2.4	Evolution of the efficiencies over time	95
7.2.5	Surface analysis	96

7.3	Performance of commercially available pumps	102
7.3.1	Mechanical efficiency and cyclic variations	102
7.3.2	Evolution of the Bosch CP1 efficiency over time	104
7.3.3	Wear analysis	104
8	Discussion	107
8.1	Appropriate material pairs for the application in gasoline-lubricated sliding systems	107
8.1.1	Friction losses	107
8.1.2	Wear acceptance	108
8.1.3	Noise emission and cyclic variations	110
8.1.4	Design complexity and costs	111
8.1.5	Qualitative evaluation of the investigated material pairs in the cam/pusher system	111
8.2	Optimization of the pump specifications for an improved mechanical efficiency	113
8.3	Volumetric losses	113
8.4	Impact on the engine performance	116
9	Summary	123