

Contents

| | |
|--|-------------|
| Contents | i |
| List of Figures | v |
| List of Tables | ix |
| List of Algorithms | xi |
| Frequently used abbreviations | xiii |
| Introduction | 1 |
| Motivation | 1 |
| Contributions of the thesis | 3 |
| Organization of the manuscript | 4 |
| 1. Ambient Assisted Living, Smart Home and indoor Location Tracking | 5 |
| Introduction | 5 |
| 1.1. Ambient Assisted Living and Smart Home | 5 |
| 1.1.1. Definitions | 5 |
| 1.1.2. Acceptance of home automation by the inhabitants | 7 |
| 1.2. Different applications | 8 |
| 1.2.1. Comfort monitoring | 8 |
| 1.2.2. Safety ensuring | 9 |
| 1.2.3. Health problems detection | 9 |
| 1.3. Different approaches | 12 |
| 1.3.1. Activities of Daily Living recognition | 13 |
| 1.3.2. Activity monitoring | 13 |
| 1.3.3. Inactivity monitoring | 13 |
| 1.3.4. Location Tracking | 15 |
| 1.4. Different sensors | 19 |
| 1.4.1. Wearable sensors | 20 |
| 1.4.2. Ambient sensors | 20 |
| 1.5. Problem statement of explicit-model-based Location Tracking | 21 |
| Conclusion | 23 |
| 2. Modeling of the detectable motion of inhabitants in a Smart Home | 25 |
| Introduction | 25 |
| 2.1. Detectable motion of a single inhabitant | 25 |
| 2.1.1. Overview of different approaches for modeling | 26 |
| 2.1.2. Presentation of the case study | 27 |
| 2.1.3. Manual construction of a model by expert knowledge | 28 |

| | | |
|--------------|--|-----------|
| 2.1.4. | Systematic generation of a model | 28 |
| 2.1.5. | Granularity of the model | 38 |
| 2.1.6. | Conclusion on the modeling for a single inhabitant | 44 |
| 2.2. | Detectable motion of N inhabitants | 44 |
| 2.2.1. | Simplified case study | 45 |
| 2.2.2. | Extended models of single inhabitant's detectable motion | 46 |
| 2.2.3. | Composition of the single models and considerations on sensor events | 49 |
| 2.2.4. | Model reduction considering non distinguishable inhabitants | 52 |
| 2.2.5. | Conclusion on the modeling for multiple inhabitants | 54 |
| Conclusion | | 54 |
| 3. | Online Location Tracking of the inhabitants | 57 |
| Introduction | | 57 |
| 3.1. | Single Inhabitant Location Tracking | 58 |
| 3.1.1. | Construction of a state estimator | 58 |
| 3.1.2. | Algorithms for model-based Location Tracking | 58 |
| 3.1.3. | Illustration on the case study | 60 |
| 3.2. | N -Inhabitants Location Tracking | 62 |
| 3.2.1. | Construction of a state estimator | 62 |
| 3.2.2. | Algorithms for model-based Location Tracking | 63 |
| 3.2.3. | Illustration on the case study | 63 |
| 3.3. | Location Tracking of an <i>a priori</i> unknown number of inhabitants | 66 |
| 3.3.1. | Illustration of the concept on the case study | 66 |
| 3.3.2. | Algorithm for model-based number of inhabitants estimation and Location Tracking | 67 |
| 3.4. | Influence of sensor faults on the Location Tracking procedure | 70 |
| 3.4.1. | General considerations on faults | 70 |
| 3.4.2. | Fault Detection and Isolation | 72 |
| 3.4.3. | Illustration on a case study | 74 |
| 3.4.4. | Discussion on fault-tolerant Location Tracking | 78 |
| Conclusion | | 79 |
| 4. | Performance evaluation for Location Tracking | 81 |
| Introduction | | 81 |
| 4.1. | Analytical evaluation | 82 |
| 4.1.1. | Unlocationable zones | 82 |
| 4.1.2. | Accurate-location-ability | 83 |
| 4.1.3. | Maximal number of trackable inhabitants | 85 |
| 4.2. | Iterative procedure for model-building and analytical evaluation | 86 |
| 4.3. | Simulation-based evaluation | 87 |
| 4.3.1. | Time-based confusion matrix and derived criteria | 89 |
| 4.3.2. | Event-driven confusion matrix and derived criteria | 91 |
| 4.3.3. | Illustration on a case study | 93 |
| 4.4. | Evaluation-aided improvement of Smart Home's instrumentations | 94 |
| 4.4.1. | Overview of the proposed approach | 94 |
| 4.4.2. | Illustration on a case study | 96 |
| Conclusion | | 101 |

| | |
|---|------------|
| Conclusion | 103 |
| Summary | 103 |
| Outlook | 104 |
| Extended summaries in French and German | 105 |
| Résumé en langue française | 105 |
| Kurzfassung in deutscher Sprache | 110 |
| Bibliography | 115 |
| Appendix: Software implementation of the emulated Smart Home | 121 |
| Introduction | 121 |
| I. Implementation of the Smart Home emulator | 122 |
| II. Implementation of the online Location Tracking | 125 |
| III. Implementation of the online performance evaluator | 125 |
| IV. Illustration on a simulated scenario | 126 |
| Conclusion | 127 |