

Contents

1	Introduction	1
1.1	Loudness	1
1.1.1	Spectral aspects	4
1.1.2	Temporal aspects	6
1.1.3	Spectro-temporal aspects	9
1.2	Spatial hearing	14
1.2.1	Localization cues	15
1.2.2	Head related transfer function	17
1.2.3	Static and dynamic angle discrimination	18
1.2.4	Binaural masking level difference	21
1.3	The inner ear and Cochlear Implants	23
1.3.1	Sound processing in the inner ear	23
1.3.2	Cochlear Implants	28
1.4	Motivation and structure of the thesis	31
2	Spectral loudness summation of nonsimultaneous tone pulses	37
2.1	Introduction	37
2.2	Methods	41
2.2.1	Subjects	41
2.2.2	Stimuli	41
2.2.3	Procedure	44
2.2.4	Statistical analysis	47
2.3	Results	48

2.3.1	Experiment 1: Effects of inter-pulse interval	48
2.3.2	Experiment 2: Effects of pulse duration	50
2.3.3	Experiment 3: Effect of overall duration	51
2.3.4	Experiment 4: Effect of reference	54
2.4	Discussion	57
2.4.1	Spectral loudness summation for pulse trains	57
2.4.2	Effect of tone duration in spectral loudness summation	59
2.4.3	Role of persistence of specific loudness in nonsimultaneous spectral loudness summation	61
2.4.4	Comparison with data in the literature on nonsimultaneous loudness summation	63
2.4.5	Residual nonsimultaneous spectral loudness summation	65
2.4.6	Implications for loudness models	66
2.5	Conclusions	70
3	Spectro-Temporal Weighting of Loudness	71
3.1	Introduction	71
3.2	Materials and Methods	75
3.2.1	Ethics statement	75
3.2.2	Participants	75
3.2.3	Apparatus	76
3.2.4	Stimuli and conditions	76
3.2.5	Procedures	80
3.2.6	Sessions	83
3.3	Results	86
3.3.1	Sensitivity	86
3.3.2	Spectro-temporal weights	88
3.4	Discussion	96
3.4.1	Comparison to previous studies on temporal weights for broadband stimuli	96
3.4.2	Bandwidth effects in temporal weights	99

3.4.3	Comparison to previous studies on spectral weights	100
3.4.4	Prediction of spectro-temporal weights from temporal and spectral weights	101
3.4.5	Spectro-temporal weights within loudness models	104
3.5	Summary and Conclusions	109
4	Relation between loudness in categorical units and loudness in phons and sones	111
4.1	Introduction	111
4.2	Methods	113
4.3	Results and Discussion	115
5	Categorical scaling of partial loudness under a condition of masking release	123
5.1	Introduction	123
5.2	Methods	126
5.2.1	Apparatus and Stimuli	126
5.2.2	Procedure	127
5.2.3	Subjects	130
5.3	Results	130
5.3.1	Categorical loudness scaling	130
5.3.2	Loudness matching	135
5.4	Discussion	139
5.4.1	Comparison of loudness matching and loudness scaling data	139
5.4.2	Comparison with literature data on masked thresholds	141
5.4.3	Comparison with literature data at supra-threshold levels	142
5.4.4	Relation to neural correlates of masking release	145
5.5	Summary	146

6	Categorical scaling of partial loudness in CI users	149
6.1	Introduction	149
6.2	Methods	152
6.2.1	Listeners	152
6.2.2	Apparatus and Stimuli	152
6.2.3	Procedure	154
6.3	Results	155
6.4	Discussion	164
6.5	Summary	166
7	Free-field measurement of minimum audible angle and movement angle in cochlear implant users	169
7.1	Introduction	169
7.2	Materials and methods	173
7.2.1	Setup	173
7.2.2	Stimulus generation	173
7.2.3	Calibration	178
7.2.4	Procedure	179
7.2.5	Listeners	182
7.3	Results	184
7.3.1	Minimum audible angle	184
7.3.2	Minimum audible movement angle	186
7.4	Discussion	189
7.4.1	Applicability of setup and signal generation	189
7.4.2	Minimum audible (movement) angles in CI users	191
7.5	Summary	193
8	Summary and Outlook	195
9	Appendix	201
9.1	Results of Chap. 5 for the whole level range	201
9.2	Individual results of the Experiments in Chap. 6	204
9.3	Individual results of the NH listeners in Chap. 7	212

Bibliography	VII
List of figures	XXXIII
List of tables	XXXVIII