
Table of Contents

KURZFASSUNG	I
ABSTRACT	III
TABLE OF CONTENTS	V
LIST OF ABBREVIATIONS	IX
LIST OF NOTATIONS	XI
1 INTRODUCTION	1
1.1 MOTIVATION	1
1.2 OBJECTIVE	3
2 FUNDAMENTALS OF SHEET MOULDING COMPOUNDS	5
2.1 FROM COMPOUNDING TO MATERIAL CURING	7
2.1.1 CONSTITUENTS	7
2.1.2 MANUFACTURING OF THE SEMI-FINISHED PRODUCT	9
2.1.3 THICKENING REACTION	10
2.1.4 COMPRESSION MOULDING	11
2.1.5 CURING REACTION	13
2.2 TYPES OF REINFORCEMENTS	15
2.2.1 LONG FIBRE REINFORCEMENTS	16
2.2.2 CONTINUOUS FIBRE REINFORCEMENTS	19
2.2.3 NON-FIBRE REINFORCEMENTS	21

3	HYBRID SHEET MOULDING COMPOUNDS	23
3.1	TEXTILE MANUFACTURING	24
3.1.1	TAILORED FIBRE PLACEMENT	24
3.1.2	CLASSIFICATION OF TFP TEXTILES	27
3.2	COMPRESSION MOULDING	32
3.3	CHARACTERISTICS OF A HYBRID SMC COMPOSITE	33
3.3.1	MICROSCOPIC CLASSIFICATIONS	33
3.3.2	DECOMPOSITION EFFECT	36
3.3.3	MECHANICAL PROPERTIES	37
4	APPROACH	41
4.1	CHEMO-RHEOLOGICAL MODEL	43
4.1.1	GELATION TEMPERATURE	43
4.1.2	CURE KINETICS	46
4.1.3	VISCOSITY	52
4.2	PROCESSING COMPRESSION	58
4.3	TEXTILE PARAMETERS	59
4.3.1	PERMEABILITY	59
4.3.2	THICKNESS	62
5	EXPERIMENTS	65
5.1	LOAD TRANSFERRING FIBRE ARCHITECTURE	65
5.1.1	TEXTILE AND PROCESS PARAMETERS	66
5.1.2	METHODOLOGY AND EXPERIMENTAL PROCEDURE	70
5.1.3	RESULTS	75
5.1.4	ALTERNATIVE APPROACH: NON-ISOTHERMAL CURING CYCLE	82
5.2	LOAD INTRODUCING FIBRE ARCHITECTURE	85
5.2.1	THEORETICS	85
5.2.2	TEST IMPLEMENTATION	87
5.2.3	QUALITATIVE CONCLUSION	88
5.3	ALTERNATIVE WAY OF PRODUCTION: PRE-IMPREGNATION OF TFP TEXTILES	92
6	THERMO-CHEMO-RHEOLOGICAL IMPREGNATION MODEL	97
6.1	MODEL DEVELOPMENT	97
6.2	VALIDATION AND FITTING	102

7 DEMONSTRATION OF THE HYBRID SMC CONSTRUCTION	109
7.1 THE OVERHEAD STOWAGE COMPARTMENT	109
7.2 COMPUTING AND MANUFACTURING OF THE OHSC WITH A HYBRID METHOD OF CONSTRUCTION	110
7.2.1 THE BIN TYPE	110
7.2.2 THE DESIGN OF THE TFP REINFORCEMENTS	111
7.2.3 COMPUTATION	112
7.2.4 MANUFACTURING AND ASSEMBLY	113
8 CONCLUSION AND OUTLOOK	117
BIBLIOGRAPHY	119
LIST OF FIGURES	131
LIST OF TABLES	137
PUBLICATIONS	139